

Application No. 09/370,736
Amendment dated 07/25/2005
Reply to Office action dated 05/25/2005

Page 2

Amendments to the Claims

1-8. (canceled)

9-10. (canceled)

11. (currently amended) The metal stud assembly of claim ~~10~~ 14, further comprising an extender longitudinally slidably mounted within said stud.

12. (currently amended) The metal stud assembly of claim 11, wherein said extender is formed with a push hole for pushing and sliding said extender within said stud.

13. (currently amended) The metal stud assembly of claim 11, wherein the retainer is a first retainer, the metal stud assembly further comprising

further comprising a second retainer formed on one of said channel members
member.

wherein said first retainer has at least one slot formed therein ~~for receiving that~~
receives the second retainer.

14. (currently amended) A metal stud assembly adapted for constructing a metal wall frame, comprising:

BEST AVAILABLE COPY

Application No. 09/370,736
Amendment dated 07/25/2005
Reply to Office action dated 05/25/2005

Page 3

a stud;

a channel member; and

a spacer bar;

wherein the channel member includes a retainer; and

wherein the stud includes

a longitudinally-extending central column portion having a pair of opposite end portions,

a pair of side walls formed on opposite sides of said central column portion,

a pair of elongated alignment slots that receive the retainer, formed in one of said end portions of said central column portion, and

~~The stud of claim 10, further comprising an indented portion formed in at least one of said side walls for receiving a~~ that receives the spacer bar.

15-19. (canceled)

20. (previously presented) A metal wall frame system, comprising:

a metal channel member having a floor portion and a pair of side walls upstanding from said floor portion;

a series of stops formed at predetermined intervals along said channel member;

a series of retainer members formed at predetermined intervals along said channel member;

BEST AVAILABLE COPY

Application No. 09/370,736
Amendment dated 07/25/2005
Reply to Office action dated 05/25/2005

Page 4

a series of metal studs interconnected to said channel member, wherein each said stud has at least one alignment slot formed therein, receives a respective one of said retainer members, and is butted against a respective one of said stops; and

a series of spacer bars, each said spacer bar interconnecting adjacent ones of said studs;

wherein each said stud comprises a side wall having a recessed portion receiving a respective one of said spacer bars.

21. (currently amended) The system of claim ~~16~~ 24, further comprising a series of longitudinally spaced crimp portions crimped inwardly from said side walls and locking said studs on said channel member.

22. (canceled)

23. (currently amended) The system of claim ~~22~~ 24, wherein each of said studs comprises a socket and wherein each said spacer bar comprises a series of projections respectively extending into each of said sockets.

24. (currently amended) A metal wall frame system, comprising:
a metal channel member having a floor portion and a pair of side walls upstanding
from said floor portion;
a series of stops formed at predetermined intervals along said channel member;

BEST AVAILABLE COPY

Application No. 09/370,736
Amendment dated 07/25/2005
Reply to Office action dated 05/25/2005

Page 5

a series of retainer members formed at predetermined intervals along said channel member;

a series of metal studs interconnected to said channel member, wherein each said stud has at least one alignment slot formed therein, receives a respective one of said retainer members, and is butted against a respective one of said stops; and

a series of spacer bars, each said spacer bar interconnecting adjacent ones of said studs;

wherein said stops are formed as upstanding tabs struck from said channel member; and

~~The system of claim 22~~, wherein each said stud comprises a side wall having a recessed portion receiving a respective one of said spacer bars.

25. (currently amended) The system of claim ~~18~~ 26, wherein each of said studs comprises a socket and wherein each said spacer bar comprises a series of projections respectively extending into each of said sockets.

26. (currently amended) A metal wall frame system, comprising:
a metal channel member having a floor portion and a pair of side walls upstanding from said floor portion;

a series of stops formed at predetermined intervals along said channel member;

a series of retainer members formed at predetermined intervals along said channel member;

BEST AVAILABLE COPY

Application No. 09/370,736
Amendment dated 07/25/2005
Reply to Office action dated 05/25/2005

Page 6

a series of metal studs interconnected to said channel member, wherein each said stud has at least one alignment slot formed therein, receives a respective one of said retainer members, and is butted against a respective one of said stops;

a series of longitudinally spaced crimp portions crimped inwardly from said side walls and locking said studs on said channel member; and

a series of spacer bars, each said spacer bar interconnecting adjacent ones of said studs;

The system of claim 18, wherein each said stud comprises a side wall having a recessed portion receiving a respective one of said spacer bars.

27. (currently amended) A metal wall frame system, comprising:

a metal channel member having a floor portion and a pair of side walls upstanding from said floor portion;

a series of stops formed at predetermined intervals along said channel member;

a series of retainer members formed at predetermined intervals along said channel member;

a series of metal studs interconnected to said channel member, wherein each said stud has at least one alignment slot formed therein, receives a respective one of said retainer members, and is butted against a respective one of said stops; and

a series of spacer bars, each said spacer bar interconnecting adjacent ones of said studs;

BEST AVAILABLE COPY

Application No. 09/370,736
Amendment dated 07/25/2005
Reply to Office action dated 05/25/2005

Page 7

wherein each said stud comprises a socket and wherein each said spacer bar comprises a series of projections respectively extending into each of said sockets; and

~~The system of claim 19,~~ wherein each said stud comprises a side wall having a recessed portion receiving a respective one of said spacer bars.

28. (new) A metal stud assembly adapted for constructing a metal wall frame, comprising:

a stud;

a channel member;

an extender longitudinally slidably mounted within said stud; and

a spacer bar;

wherein the channel member includes a retainer; and

wherein the stud includes

a longitudinally-extending central column portion having a pair of opposite end portions;

a pair of side walls formed on opposite sides of said central column portion;

BEST AVAILABLE COPY

Application No. 09/370,736

Amendment dated 07/25/2005

Reply to Office action dated 05/25/2005

Page 8

an alignment slot that receives the retainer, formed in one of said end portions of said central column portion; and

an indented portion formed in at least one of said side walls that receives the spacer bar.

29. (new) The stud assembly of claim 28, wherein said alignment slot comprises a pair of elongated alignment slots.

30. (new) The metal stud assembly of claim 28, wherein said extender is formed with a push hole for pushing and sliding said extender within said stud.

31. (new) The metal stud assembly of claim 28, wherein the retainer is a first retainer, the metal stud assembly further comprising a second retainer formed on said channel member,

wherein said first retainer has at least one slot formed therein that receives the second retainer.

BEST AVAILABLE COPY